This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

•		4				SHE	T 1 OF 7
Form PTO 1449		U.S. DEPARTMENT	DE COMMERCE	ATTY DOCKET NO.		SERIAL N	10. Z 70
(Modified)		PATENT AND TRAD	EMARK OFFICE	217075US2PCT		10/031,	570
		TP	E	APPLICANT		<u> </u>	0
LIST OF	REFE	RENCES CITED BY API	PLICANT	Joseph T. VERDEYEN, et al.			J. 2
			اس ماس	FILING DATE		GROUP	2 0 3
		/ MAY U	e som fi	January 22, 2002		21	37 1765
		· E	***/	U.S. PATENT DOCUMENTS		L	
EŽANINED I	·	DOCUMENT	HAUSAN		Γ	SUB	FILING DATE
EXAMINER INITIAL		NUMBER	DATE	NAME	CLASS	CLASS	IF APPROPRIATE
N	AA	2,405,229	8-6-1946	MUELLER et al.			
4	AB	2,483,189	9-27-1949	C. C. EAGLESFIELD			
	AC	2,735,941	2-21-1956	R. C. PECK			
 	AD		2-7-1961	WHARTON et al.			
	AE		8-9-1966	M. A. HEALD			
	AF	3,290,614	12-6-1966	J. E. RACY			·
	AG.		5-14-1968	GOLDSTEIN et al.			
	AH		6-11-1968	SUTTON et al.			
		-,,	12-10-1968	P. D. LACY			
	Al	3,416,077	4-15-1969	F. F. ROGERS			
	AJ	0,,00,,00					
	AK	3,474,336	10-21-1969	A. ALFORD	-		
	AL	3,,.	1-13-1970	R. V. WILLIAMS			
A L	AM	-,,	4-28-1970	C. W. E. WALKER			
100	AN	3,599,089	8-10-1971	D. S. BUGNOLO	1	1	
<i>y</i>			FO	REIGN PATENT DOCUMENTS			
Ŋ	•	DOCUMENT NUMBER	DATE	COUNTRY		YES	TRANSLATION NO
1	AO	0 432 573 🛰	ō-19-1991	EUROPE		L .	
MA	AP	WO 01/06544	1-25-2001	WIPO			
114	AQ	WO 01/37306	5-25-2001	WIPO		: k	
10	AR					<u> </u>	
	AS						
	AT						
	AU						
	AV						
Ţ				Including Author, Title, Date, Pertinen			
1,7	AW	P. K. Atrey et al., "Mea interferometers", Indiar	surement of cl n J. Physics 66	hord averaged electron density in ADITY 6B (5 & 6), 1992, pp. 489-97.	A using 10	0 GHz and	136 GHz
M	AX	2149-51.		urement using a simple microwave techn			
1/1/2	AY	D. Bora et al., "A simple Physics and Controlled	e microwave t Fusion 26 (7)	echnique for plasma density measureme , 1984, pp. 853-7.	nt using fr	equency m	odulation", Plasma
19	AZ	Nils Brenning, "An implements the state of t	roved microwa Hr, J. Phys. E	ive interferometer technique for plasma E: Sci. Instrum. 21, 1988, pp. 578-82.	Add	itional Refe	rences sheet(s) attached
Examiner		VOIM			Date Co	nsidered	12704
*Examiner: Ini	tial if r	eference is confidered	ether or no	t citation is in conformance with MPEP 6	09; Draw li	ne through	ditation if not in
conformance :	and no	otconsidered. In∦lude∕co	py of this form	with next communication to applicant.			

I:\aTTYMRC\2312\217075US-6B\217075US.1449 1.DOC

Form PTO 1449		U.S. DEPARTMENT	OF COMMERCE	ATTY DOCKET NO.		SERIAL N	10.
(Modified)		PATENT AND TRAD	EMARK OFFICE	217075US2PCT		10/031,5	570 美
OIPE ON			APPLICANT			300	
LIST OF REFERENCES CITED BY APPLICANT				Joseph T. VERDEYEN, et al.			3,1265
		1 KAM	8 2000 B	FILING DATE		GROUP	7 1 1
•		_	5/	January 22, 2002		213	5 1765
		Ten.	TRADEMAR	U.S. PATENT DOCUMENTS			
ERAMINER		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROPRIATE
	AA	3,699,475	10-17-1972	R. G. ROGERS			
11/2	AB	3,899,752	8-12-1975	H. F. ENGELMANN			
1//	AC	3,956,695	5-11-1976	M. E. STAMM	·		
	AD	4,034,312	7-5-1977	M. ARMAND			
	AE	4,096,453	6-20-1978	R. G. ROGERS	·		
	AF	4,540,955	9-10-1985	S. J. FIEDZIUSZKO	-		
	AG	4,775,845	10-4-1988	J. A. McCOY			
	AH	4,944,211	7-31-1990	ROWAN et al.			
	Al	4,949,053	8-14-1990	R. C. HAVENS	-		
	AJ	4,899,100	2-6-1990	TALANKER et al.			
	AK	3,952,246	4-20-1976	SPROTT et al.			
	AL	6,027,601	2-22-2000	H. HANAWA			
10	AM	5,082,517	1-21-1992	M. M. MOSLEHI			
11	AN	3,572,948	3-30-1971	J. M. CATHERIN			
FOREIGN PATENT DOCUMENTS							
TOANGLATION							
		DOCUMENT NUMBER	DATE	COUNTRY		YES	TRANSLATION NO
	AO						
	AP				·····		
	AQ						
	AR					 	
	AS					ļ	
	AT					ļ	
	AU					ļ	
	AV						
Λ				including Author, Title, Date, Pertinen e interferometer technique for plasma de			I Phys F: Sci Instrum
	AW	17, 1984, pp. 1018-23.			*		
\mathcal{N}	AX	M. A. G. Calderon et al., "Experimental study of a swept reflectometer with a single antenna for plasma density profile measurement", International Journal of Infrared and Millimeter Waves 6 (7), 1985, pp. 605-28.					
W.	AY	G. D. Conway et al., "F Phys. Control. Fusion :	lasma density 38, 1996, pp. 4	fluctuation measurements from coheren 51-66.	t and Inco	herent micr	owave reflection", Plasma
	AZ	P. C. Efthirmion et al., of line integral electron pp. 998-10.	1-millimeter wa density on TF	ave interferometer for the measurement TR", Rev. Sci. Instrum. 56 (5), 05/1985,	☐ Add	itional Refe	rentes sheet(s) attached
Examiner		VIII			<u> </u>	nsidered	127104
*Examiner: In conformance	itial if p	e Erence s considered, considered include co	whether or not py of this form	citation is in conformance with MPEP 6 with next communication to applicant.	09; Draw li	ne through	Mation it/not in
					<u></u>		-

L'ATTYMRC12312121075US-681217075US.1449 2.DOC

Form PTO 1449		U.S. DEPARTMENT	DE COMMERCE	ATTY DOCKET NO.		SERIAL N	O
(Modified)		PATENT AND TRANS	EMERK DEFICE	217075US2PCT		10/031,5	70 . 多
	APPLICANT O						
LIST OF	REFEF	RENCES CITED BY API	LICAMO E	Joseph T. VERDEYEN, et al.			
		HAN PROCES CITED BY APP	90	FILING DATE		GROUP 213	3
		Pr	, WE	January 22, 2002		217	1765
		(N)	A TRADEMA	J.S. PATENT DOCUMENTS			·
EXAMINER INITIAL /		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROPRIATE
1)1	AA	5,691,642	11-25-1997	D. M. DOBKIN			
	AB	6,074,568	6-13-2000	ADACHI et al.			
	AC	5,621,331	4-15-1997	SMITH et al.			
	AD	4,354,166	10-12-1982	T. W. GRUDKOWSKI			
	ΑE	5,245,405	9-14-1993	MITCHELL et al.			
	AF	5,304,282	4-19-1994	D. L. FLAMM			
	AG	5,383,019	1-17-1995	FARRELL et al.			
· ·	АН	5,455,565	10-3-1995	MOEENZIAI et al.			
	Al	5,506,475	4-9-1996	G. D. ALTON			
	AJ	5,568,801	10-29-1996	PATERSON et al.			
	AK	5,907,820	5-25-1999	S. X. PAN			
	AL.	5,945,888	8-31-1999	WEINERT et al.			
11	АМ	6,260,408	7-17-2001	VIG et al.			
The state of the s	AN	6,339,297	1-15-2002	SUGAI et al.			
 	AO						
	AP						
	AQ						
	AR						
	AS						
	AT						
	AU						
	ΑV						
1				Including Author, Title, Date, Pertinen			
Ink	J. A. Fessey et al., "Plasma electron density measurements from the JET 2 mm wave interferometer", J. Phys. E: Sci. AW Instrum. 20, 1987, pp. 169-74.						
14/7	H. Kumar et al., "Measurements of plasma density in argon discharge by Langmuir probe & microwave interferometer", AX Indian Journal of Pure & Applied Physics 17, 05/1979, pp. 316-8.					rave interferometer",	
	AY	G. Neumann et al., "P Rev. Sci. Instrum. 64 (asma-density 1), 01/1993, p	measurements by microwave interferome p. 19-25.	etry and La	angmuir pro	bes in an rf discharge",
1/1/			•	ison of electron-density measurements	Ī		
	A	made using all agont	ir probe and m	incrowave interferometer in the Gaseous actor*, J. Appl. Phys. 74 (7), 10/01/1993,	Add	itional Refe	rences sheet(s) attached
Examiner	, , , ,	MIMAIN			<u> </u>	nsidered	127/04
*Examiner: Ir conformance	*Examiner: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered include copy of this form with next communication to applicant.						



Form PTO 1449 U.S. DEPARTMENT OF COMMERCE		ATTY DOCKET NO.	SERIAL NO.					
(Modified) PATENT AND TRADEMARK OFFICE		217075US2PCT	10/031,570					
LIST OF BER	RENCES CITED BY APPLICANT	APPLICANT Joseph T. VERDEYEN, et al. FILING DATE GROUP 120123 2002 7.123 1765						
/o <i>\</i> `		FILING DATE	GROUP , -2					
	o e was s	January 22, 2002	2133 1765 0 3					
MW	COTHER REFERENCES	Including Author, Title, Date, Pertinent Pages, e	otc.)					
A Per								
		ds for sputtering plasmas*, J. Vac. Sci. Technol. 1						
AAE	J. R. Wallington et al., "A sensitive microwave interferometer for plasma diagnostics", J. Plasma Physics 3 (part 3), 1969, pp 371-5.							
AAC	M. Haverlag et al., "Measurements of negative ion densities in 13.56-MHz rf plasmas of CF ₄ , C ₂ F ₆ , CHF ₃ and C ₃ F ₆ using microwave resonance and the photodetachment effect", J. Appl. Phys. 70 (7), 10/01/1991, pp. 3472-80.							
AAC	M. Haverlag et al., "Negatively charged particles in fluorocarbon rf etch plasmas: Density measurements using microwave resonance and the photodetachment effect", Materials Science Forum, vol. 140-142, 1993, pp. 235-54.							
AAE		tion measurements in ATF using correlation reflect	ometry", Nuclear Fusion 32 (9), 1992,					
	G R Hanson et al "A swent two-fre	equency microwave reflectometer for edge density	profile measurements on TFTR",					
AAF								
AAG	K. W. Kim et al., "Development of a fast solid-state high-resolution density profile reflectometer system on the DIII-D tokamak", Rev. Sci. Instrum. 68 (1), 01/1997, pp. 466-9.							
AAI	P. Millot et al., "An advanced radar technique for electron density measurements on large tokarnaks", Eighteenth International Conference on Infrared and Millimeter Waves, James R. Birch, Terence J. Parker, Editors, Proc. SPIE 2104, 1993, pp. 240-1.							
AA	Masaaki Nagatsu et al., "Application of maximum entropy method to density profile measurement via microwave reflectometry on GAMMA 10", Plasma Phys. Control. Fusion 38, 1996, pp. 1033-42.							
	R. Nazikian et al., "Reflectometer measurements of density fluctuations in tokamak plasmas (Invited)", Rev. Sci. Instrum. 66							
^^	· ·	(1), 01/1995, pp. 392-8.						
AA	L. J. Overzet et al., "Enhancement of the plasma density and deposition rate in rf discharges", Appl. Phys. Lett. 48 (11), 03/17/1986, pp. 695-7.							
	R. Schubert, "Sensor for plasma density profile measurement in magnetic fusion machine", Sensors and Actuators A							
^^	AAL 1994, pp. 53-7.							
	S. Shammas et al., "Simplified micro	owave measurement of uv photoplasmas", J. Appl.	Phys. 51 (4), 04/1980, pp. 1970-4.					
AAI	м							
AA	A. C. C. Sips et al., "Analysis of reflectometry density profile measurements in JET", Plasma Phys. Control. Fusion 35, 199 pp. 743-55.							
AA	W. Hess et al., "A new 1723 GHz cavity stabilized, hermetically sealed module VCO in chip technique", Conference proceedings of the 22nd European Microwave Conference, vol. 1, August 24-27, 1992, pp. 143-8. INSPEC abstract numbe B9211-1350H-047.							
C AA	U. Flygol et al. "Cavity stabilisation	techniques for harmonic-mode oscillators", Procee 25-29, 1986, pp. 393-4. INSPEC abstract number	dings of the eighth colloquium on B88050407.					
	N	ilized Gunn oscillator at 94 GHz", 1986 IEEE MTT- INSPEC abstract number B87006105.	S International Microwave Symposium					
Examilier	1/01/07/1		onsidered					
*Examiner: Initial	if reference is considered, whether or n	ot citation is in conformance with MPEP 609; Draw m with next communication to applicant.	line through chaven if not in					
Comornance and	conformance and not considered include copy of this form with next communication to applicant.							

SERIAL NO. ATTY DOCKET NO. U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE Form PTO 1449 (Modified) 217075US2PCT 10/031,570 APPLICANT LIST OF REFERENCES CITED BY Joseph T. VERDEYEN, et al. GROUP **FILING DATE** 2133 January 22, 2002 ERENCES (Including Author, Title, Date, Pertinent Pages, etc.) P. M. Marshall et al., "Simple technique cavity-stabilizes VCO", Microwaves & RF 24 (7), 07/1985, pp. 89-92. INSPEC abstract number B86014481. M. E. Znojkiewicz, "8 GHz low noise blas tuned VCO", 1984 IEEE MTT-S International Microwave Symposium Digest, May 29-June 1, 1984, pp. 489-91. INSPEC abstract number B85017875. AAR A. Jacob et al., "Optimum design of cavity stabilized FET oscillators", Conference Proceedings of the 13th European Microwave Conference, September 5-8, 1983, pp. 509-14. INSPEC abstract number B84009181. AAC Brian E. Rose, "10 GHz cavity stabilized FET oscillator", Proceedings of the 32nd Annual Frequency Control Symposium, May 31-June 2, 1978, pp. 385-8. INSPEC abstract number B79030122. AAD Klaus Schunemann et al., "On the matching of transmission cavity stabilized microwave oscillators", IEEE transactions on microwave theory and techniques MTT-26 (3), 03/1978, pp. 147-55. INSPEC abstract number B78028026. AAE Brian Owen, "Mechanically luneable, cavity-stabilized millimeter-wave IMPATT oscillators", 1977 IEEE MTT-S International Microwave Symposium Digest, 1977, pp. 22-5. INSPEC abstract number B78005511. Walter R. Day, "Frequency modulation of cavity stabilized solid state diode oscillators", 1973 IEEE-G-MTT International Microwave Symposium Digest of Technical Papers, June 4-6, 1973, pp. 247-9. INSPEC abstract number B74005473. J. Clarke, "A simple stabilized microwave source", IEEE Transactions on Instrument and Measurement, Vol. IM-21 (1), 02/1972, pp. 83-4. INSPEC abstract number B72013995. AAH David I. C. Pearson et al., "A microwave interferometer for density measurement and stabilization in process plasmas". Materials Research Society Symposium Proceedings 117, April 5-7, 1988, pp. 311-7. M. Manso et al., "Localized density measurements on ASDEX using microwave reflectometry", Max-Planck-Institut Plasmaphysik Technical Report IPP III/164, Paper no. R1, September 1990, 4 pages. A. Silva et al., "First density measurements with microwave reflectometry on ASDEX upgrade", Max-Planck-Institut Plasmaphysik Technical Report IPP 1/277, October 1993, pp. 154-7. Kai Chang, "Millimeter-wave spatial and quasi-optical power combining techniques", International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6), 1989, pp. 431-4. Jin-Bang Tang et al., "Finite element analysis of the dielectric resonator", International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6), 1989, pp. 435-8. AAM I. V. Altukhov et al., "Far infared radiation from uniaxially compressed p-type GE", International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6), 1989, pp. 439-442. Fu-Jiang Liao et al., "Developing status of millimeter wave tubes in China", International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6), 1989, pp. 443-6. AAO Li-Rong Jin et al., "D-band silicon IMPATT diode", International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6), 1989, pp. 447-9. AAP Sheng-Min Liu et al., "The millimeter wave Gunn oscillator and self-oscillating mixer using the nonradiative dielectric waveguide", International conference on millimeter waves and far-infrared technology conference digest (fat. no. 89TH0237-8), 1989, tp. 450-2. AAQ Date Considered Examiner , whether or not citation is in conformance with MPEP 609; Draw line through cital *Examiner: Initial if reference is considere conformance and not go sidered. Incibate opy of this form with next communication to applicant,

7 SERIAL NO. ATTY DOCKET NO. U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE orm PTO 1449 (Modified) 10/031,570 217075US2PCT (PE **APPLICANT** LIST OF REFERENCES CITED BY APPLICANT Joseph T. VERDEYEN, et al. MAY 0 6 2003 **GROUP FILING DATE** January 22, 2002 ES (Including Author, Title, Date, Pertinent Pages, etc.) Wei Hong et al., "Study on broadband millimeter wave oscillators", International conference on millimeter waves and farinfrared technology conference digest (Cat. no. 89TH0257-6), 1989, pp. 453-6. Dunfu Li et al., "Influence of moisture on cavity-stabilized oscillators", International conference on millimeter waves and farinfrared technology conference digest (Cat. no. 89TH0257-6), 1989, pp. 457-460. AAB D. Ni et al., "Millimeter-wave generation and characterization of a GaAs FET by optical mixing", International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6), 1989, page 493. Jing-Feng Miao et al., "New NRD guide oscillator", International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6), 1989, pp. 494-496. Yu-Fen Yang et al., "8mm pulse IMPATT oscillators", International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6), 1989, pp. 497-9. AAE Ning Chen et al., "Novel large signal mathematical model of mm-wave Gunn device", International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6), 1989, pp. 500-2. Wang Dongjin et al., "VCO for millimeter-wave phase-locked sources", International conference on millimeter waves and farinfrared technology conference digest (Cat. no. 89TH0257-6), 1989, pp. 503-5. AAG Wang Dongjin, "A new viewpoint on the operation principles of the reflection type cavity-stabilized Gunn oscillator" International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6), 1989, AAH S. P. Kuo et al., "Operation of a sixteenth harmonic cusptron oscillator", International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6), 1989, pp. 510-3. Igor Alexeff et al., "Recent developments in the Orbitron MASER", International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6), 1989, pp. 583-7. V. K. Malyutenko et al., "Thermal-emitting diodes for IR", International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6), 1989, pp. 588-90. Valentin M. Feru et al., "An absolute radiometric evaluation of the spectral irradiance created by the optical radiation sources", International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6) AAL 1989, page 591. V. I. Gavrilenko et al., "Negative cyclotron mass MASER - A new type of semiconductor generator for millimeter and submillimeter wave range", International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6), 1989, pp. 592-6. E. V. Beregulin et al., "Saturation absorption of the IR-FIR radiation in semiconductors and its technical utilization", International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6), 1989, AAN I. E. Aronov et al., "Radiowave excitation of resonant D. C. electromotive force in metals", International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6), 1989, page 601. M. V. Burtyka et al., "Instability of electromagnetic oscillations of the millimeter wave range specified by injection of charge carrier in inhomogeneous semiconductor structures", International conference on millimeter waves and far-infrared technology conference digest (Cat. no. 89TH0257-6), 1989, pp. 602-5. L Dunfu et al., "Stability condition for 8mm phase-locked source", International conference on millimeter paves and far-in ared technology conference digest (Cat. no. 89TH0257-6), 1989, pp. 606-9. AAO

e is considered whether or not citation is in conformance with MPEP 609; Draw line through dered. Include/gopy/of this form with next communication to applicant. *Framiner: Initial if referen conformance and not considered. Indiude

Date Considered

miner

Form PTO 1449		U.S. DEPARTMENT OF COMMERCE	ATTY DOCKET NO.	SERIAL NO.
(Modified)		PATENT AND TRADEMARK OFFICE	217075US2PCT	10/031,570
		,	APPLICANT	老
LIST OF RE	EFER	ENCES CITED BY APPLICANT	Joseph T. VERDEY	EN, et al.
		/ WW	LING DATE	GROUP 2133
		Tro. or will	January 22, 2002	1765
1		OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, e	tc.)
- W		Wanjun Bi et al., "Experimental study	of an overmode power combiner of 8mm IMPATT	diodes", International conference on
^	***	millimeter waves and far-infrared tech	hnology conference digest (Cat. no. 89TH0257-6),	1989, pp. 610-3.
	AAB	infrared technology conference diges	ed Ka-band Gunn oscillator", International conferen et (Cat. no. 89TH0257-6), 1989, pp. 614-6.	
Α	VAC	millimeter waves and far-infrared tec	ve MASER with gain bandwidth exceeding 200 Mh hnology conference digest (Cat. no. 89TH0257-6),	1989, pp. 617-8.
A	AAD	"AUTOMATIC DISPLAY OF ELECTR	Physics E: Scientific Instruments, vol. 3, no. 2, pa RON DENSITY IN A PLASMA COLUMN", February	1970
A .	AAE	"DETERMINATION OF PLASMA EL PARALLEL-PLATE CAVITY", March	ons on Antennas and Propagation, vol. AP-19, no. 2 ECTRON-DENSITY DISTRIBUTION FROM THE F 1971	RESONANT FREQUENCIES OF A
1	AAF	JOHNSON et al., US 2002/0125223, COUPLED PLASMA", September 12	"RADIO FREQUENCY POWER SOURCE FOR G 2, 2002	ENERATING AN INDUCTIVELY
100	AAG			
,	ААН			
	AAI			
,	LAA			
,	AAK			
,	AAL	·		
F	AAM			
,	AAN			
,	AAO			
,	AAP			
,	AAQ	1		
Examine		VOOX,		onsidered 1) Of
*Examinet: Inition conformation a	tial if re and no	eference is considered whether or no at considered. Include capy of this for	ot citation is in conformance with MPEP 609; Draw m with next communication to applicant.	inie uirough salaion il 10 iii

I:\att\MRC\2312\217075\S-\B\217075\US.14497.DOC

10/031570 PCT/PTO 22 JAN 2002

LIST OF REFERENCES CITED BY APPLICANT APPLICANT Joseph T. VERDEYEN, et al. FILING DATE Herewith U.S. PATENT DOCUMENTS EXAMINER DOCUMENT DATE LIST OF REFERENCES CITED BY APPLICANT JOSEPH T. VERDEYEN, et al. GROUP HOUSE SUB	CT application CT/US00/19536	
Seph T. VERDEYEN, et al. Filing Date Herewith Filing Date Herewith Herewith	7123	
Herewith U.S. PATENT DOCUMENTS SUB CLASS IF	7,23	
DOCUMENT DATE NAME CLASS SUB CLASS IF	ν_1	
DOCUMENT NUMBER DATE NAME CLASS SUB CLASS IF		
AA 5,939,886 08/17/99 TURNER et al. AB 5,936,413 08/10/99 BOOTH et al. AC AD AE AE AF AG AH AH AL AL AL AK AL AL AM	FILING DATE APPROPRIATE	
AB 5,936,413 08/10/99 BOOTH et al. AC		
AD		
AE		
AF AG		
AG		
AH		
AI	****	
AJ		
AK AL AM		
AL AM		
AM .		
AN		
FOREIGN PATENT DOCUMENTS		
DOCUMENT DATE COUNTRY TRAN NUMBER YES	TRANSLATION YES NO	
AO		
AP		
AQ		
AR ·		
AS		
AT		
AU		
OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, etc.)		
AW		
AX		
AY	-	
	<u> </u>	
AZ Additional Reference Examiner Date Considered	es sheet(s) attached	
*Examiner: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; Draw line through citation conformance and not considered, yielded copy of this form with next communication to applicant.	2/19/	
conformance and not considered. Vicinde copy of this form with next communication to applicant.	tion if nyotin	